

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 5,090				Community Options and MA Waiver Programs		Per 10,000		
Population per square mile 10						Staffing - FTE	Number	Population
County ranking in state ( 1-72) 69						Total staff	2	4.1
						Administrative	1	2.0
						Professional staff	0	0.2
						Technical/Paraprof.	.	.
						Support staff	1	2.0
Age	Female	Male	Total	Clients	Costs			
0-14	440	490	930	COP	10	\$340		
15-19	150	190	340	MA Waiver *				
20-24	70	90	160	CIP1A	1	\$49,203		
25-29	110	100	200	CIP1B	11	\$82,170		
30-34	160	160	320	CIP2	.	\$0		
35-39	220	200	410	COP-W	26	\$163,002		
40-44	200	240	440	CSLA	.	\$0		
45-54	370	390	750	Brain Injury	.	\$0		
55-64	320	320	640	Total COP/Wvrs	38	\$294,716		
65-74	220	250	480	\$44,376 of the above waiver costs				
75-84	150	130	290	were paid as local match/overmatch				
85+	80	40	120	using COP funds. This amount is				
Total	2,490	2,600	5,090	not included in above COP costs.				
Age	Female	Male	Total	* Waiver costs reported here				
0-17	540	620	1,160	include federal funding.				
18-44	810	850	1,640	Clients	costs			
45-64	690	710	1,390	Eligible and				
65+	450	420	890	Waiting	0	n/a		
Total	2,490	2,600	5,090	(Family Care not provided in county)				
Poverty Estimates for 1997				Note: Eligible and waiting clients				
Estimate (C.I.+/-)				will be phased into the COP and MA				
All ages	554	134		Waivers as available.				
	10.7%	( 3%)						
Ages 0-17	210	58						
	15.2%	( 4%)						
----- Employment -----								
Average wage for jobs covered				Home Health Agencies				
by unemployment compensation \$19,407				Patients				
Note: based on place of work				Patients per 10,000 pop.				
Annual				Nursing Homes				
Labor Force Estimates Average				Licensed beds				
				Occupancy rate				
				Residents on Dec.31				
				Residents age 65 or older				
				per 1,000 population				

## NATALITY

TOTAL LIVE BIRTHS			36	<u>Birth Order</u>		<u>Births</u>	<u>Percent</u>	<u>Marital Status of Mother</u>			<u>Births</u>	<u>Percent</u>
Crude Live Birth Rate			7.1	First		19	53	Married			35	97
General Fertility Rate			39.6	Second		9	25	Not married			1	3
				Third		5	14	Unknown			0	0
Live births with reported congenital anomalies			0 . %	Fourth or higher		3	8					
				Unknown		0	0					
				<u>First Prenatal Visit</u>		<u>Births</u>	<u>Percent</u>	<u>Education of Mother</u>			<u>Births</u>	<u>Percent</u>
<u>Delivery Type</u>	<u>Births</u>	<u>Percent</u>		1st trimester		32	89	Elementary or less			0	0
Vaginal after previous cesarean	1	3		2nd trimester		2	6	Some high school			5	14
Forceps	0	0		3rd trimester		2	6	High school			16	44
Other vaginal	26	72		No visits		0	0	Some college			7	19
Primary cesarean	5	14		Unknown		0	0	College graduate			8	22
Repeat cesarean	4	11						Unknown			0	0
Other or unknown	0	0										
<u>Birthweight</u>	<u>Births</u>	<u>Percent</u>		<u>Number of Prenatal Care visits</u>		<u>Births</u>	<u>Percent</u>	<u>Smoking Status of Mother</u>			<u>Births</u>	<u>Percent</u>
<1,500 gm	0	0.0		No visits		0	0	Smoker			11	31
1,500-2,499 gm	4	11.1		1-4		0	0	Nonsmoker			25	69
2,500+ gm	32	88.9		5-9		10	28	Unknown			0	0
Unknown	0	0		10-12		14	39					
				13+		12	33					
				Unknown		0	0					

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
White	34	94	4	11.8	30	88	2	6	2	6
Black	0	0	.	.	.	.	.	.	.	.
Other	2	6	*	.	*	.	*	.	*	.
Unknown	0	0	.	.	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<15	0	--	.	.	.	.	.	.	.	.
15-17	2	.	*	.	*	.	*	.	*	.
18-19	3	.	*	.	*	.	*	.	*	.
20-24	5	.	1	20.0	3	60	1	20	1	20
25-29	9	.	.	.	8	89	1	11	.	.
30-34	10	.	1	10.0	10	100	.	.	.	.
35-39	7	.	2	28.6	6	86	.	.	1	14
40+	0	.	.	.	.	.	.	.	.	.
Unknown	0	--	.	.	.	.	.	.	.	.

**Teenage Births**

5

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	57
Giardiasis	22
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C	31
Legionnaire's	0
Lyme	<5
Measles	***
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	***
Pertussis	***
Salmonellosis	16
Shigellosis	<5
Tuberculosis	<5

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	<5
Genital Herpes	0
Gonorrhea	0
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	956
Non-compliant	7
Percent Compliant	99.3

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	63
Crude Death Rate	1,238

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	1	.
5-14	.	.
15-19	.	.
20-34	1	.
35-54	6	.
55-64	5	.
65-74	14	.
75-84	13	.
85+	23	19,167

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	.	.
Neonatal	.	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	.	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	1	.
Neonatal	.	.
Fetal	1	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	29	570
Ischemic heart disease	12	.
Cancer (total)	13	.
Trachea/Bronchus/Lung	4	.
Colorectal	2	.
Female Breast	1	.*
Cerebrovascular Disease	3	.
Lower Resp. Disease	3	.
Pneumonia & Influenza	1	.
Accidents	3	.
Motor vehicle	1	.
Diabetes	1	.
Infectious & Parasitic	.	.
Suicide	.	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	.
Other Drugs	4	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	57	1
Alcohol-Related	17	1
With Citation:		
For OWI	6	0
For Speeding	2	0
Motorcyclist	4	0
Bicyclist	0	0
Pedestrian	0	0

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	17	.	.	.	.
<18	0	.	.	.	.
18-44	9	.	.	.	.
45-64	5	.	.	.	.
65+	3	.	.	.	.
<b>Injury: Hip Fracture</b>					
Total	0	.	.	.	.
65+	0	.	.	.	.
<b>Injury: Poisonings</b>					
Total	2	.	.	.	.
18-44	0	.	.	.	.
<b>Psychiatric</b>					
Total	22	4.3	6.3	\$5,270	\$23
<18	6	.	.	.	.
18-44	10	.	.	.	.
45-64	6	.	.	.	.
65+	0	.	.	.	.
<b>Coronary Heart Disease</b>					
Total	25	4.9	3.5	\$21,820	\$107
45-64	10	.	.	.	.
65+	14	.	.	.	.
<b>Malignant Neoplasms (Cancers): All</b>					
Total	17	.	.	.	.
18-44	1	.	.	.	.
45-64	8	.	.	.	.
65+	8	.	.	.	.
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	3	.	.	.	.
<b>Neoplasms: Colo-rectal</b>					
Total	1	.	.	.	.
65+	1	.	.	.	.
<b>Neoplasms: Lung</b>					
Total	2	.	.	.	.
<b>Diabetes</b>					
Total	4	.	.	.	.
65+	3	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	0	.	.	.	.
18-44	0	.	.	.	.
45-64	0	.	.	.	.
<b>Pneumonia and Influenza</b>					
Total	1	.	.	.	.
<18	0	.	.	.	.
45-64	1	.	.	.	.
65+	0	.	.	.	.
<b>Cerebrovascular Disease</b>					
Total	4	.	.	.	.
45-64	0	.	.	.	.
65+	3	.	.	.	.
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	1	.	.	.	.
<18	1	.	.	.	.
18-44	0	.	.	.	.
45-64	0	.	.	.	.
65+	0	.	.	.	.
<b>Drug-Related</b>					
Total	2	.	.	.	.
18-44	1	.	.	.	.
<b>Total Hospitalizations</b>					
Total	193	37.9	5.4	\$14,509	\$550
<18	19	.	.	.	.
18-44	41	24.9	3.9	\$9,132	\$227
45-64	59	42.5	5.1	\$14,867	\$631
65+	74	83.2	5.8	\$17,389	\$1,447

## PREVENTABLE HOSPITALIZATIONS\*

Total	7	.	3.9	\$10,925	\$15
<18	2	1.7	2.0	\$4,025	\$7
18-44	2	1.2	6.0	\$22,771	\$28
45-64	2	1.4	2.0	\$5,723	\$8
65+	1	1.1	7.0	\$11,438	\$13

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.